


## Haz-Shipper Internet / UPS's WorldShip Service -

- This service will allow all browse to be used.
- This service will create the communication between *Haz-Shipper* & WorldShip
- This service MUST BE installed on the computer with WorldShip only.


- 
1. Download and Install HazShipperLocalSetup.exe > Follow all default setting

<https://www.hazshipper.com/downloads/HazShipperLocalSetup.exe>

2. Once installed, right click on the “Shortcut to HazShipperLocalStandAlone.exe” Icon





3. Click on, Properties > Compatibility > Select “Run this program as an administrator” > Apply > Close




4. Open HazShipperLocalStandAlone > At the User Control Message: “Do you want to allow this app....”  
Click Yes

5. Go to Edit > Configuration File > Make Changes to Company Information Section as listed below > Click Save and Exit when completed. NOTE: ALL INFORMATION ADDED MUST BE CAPITALIZED
  - a. CompanyID = *type your company id that is used to sign into Haz-Shipper*
  - b. Department = *If you enter in a department when logging in Haz-Shipper, enter the department*
  - c. UserID = *Type ADMIN*
  - d. Password = *Enter in the password for the UserID: Admin*




EXAMPLE AFTER CHANGES:

6. Click "Create ODBC Connections" > Click OK



7. Start the Service and Close HazShipper Local StandAlone. Once closed, this service will run in the background without being open. The service will start automatically when re-starting computer.



Log into Haz-Shipper using any browser. In *Haz-Shipper*, create a UPS shipment, and log the shipment to the manifest. Open WorldShip and pull your reference number.